

New invoice and credit note template 2

End Date: 2026-02-10 14:10:00.0

Auction Catalogue

LOS	BESCHREIBUNG
1	 <p>TORNOS DT26 5 Axis CNC Lathe with ROBOBAR SBF Barfeed. Fancu 31i-Model B Control (2016)</p> <p>Mininum/Maximum capacity 4mm/25.4mm. No.of possible tools 14 x mainwork operation. 4 x backwork operation. Maximum 22 x tools.Interface USB,Ethernet & Memory card. Complete with ROBOBAR SBF Barfeed (2016). Tooling, Accessories & Manuals are included as lotted.</p>
4	 <p>AJAX VICTOR TNS-1A CNC Lathe with Fancu 10T Control (1985)</p> <p>Swing over bed 420 mm. Swing over cross-slide 300 mm Distance between centres 395 mm X/Z travels 210/275mm. Spindle speed 6000 rpm. 12 station turret. Tailstock.Fancu 10T Control. Tooling. Serial No. NJ-0029. Year 1985.</p> <p>Location: Oldham, Greater Manchester</p>
2	 <p>HAAS ST30 CNC Lathe with HAAS Servobar 300 Barfeed (2013)</p> <p>Haas Control. Machine fitted with collet chuck.12 station turret. Tailstock. Toolsetter. 254mm dia powered chuck. Serial No. 3094956. Year 2013.</p>
3	 <p>HAAS ST10 CNC Chucking Lathe (2019)</p> <p>Haas Control. Machine fitted with 3 jaw powered chuck.12 station turret. Toolsetter. Serial No. 3094956. Year 2019.</p>
4	 <p>CHESTER VL11 Vertical Machining Centre (2021)</p> <p>Table size 1200 x 600mm. Table loading 1000kg. X/Y/Z travels 1100/600/600mm. 10,000 rpm. 24 ATC. Siemens Sinumerik 828D Control. BLUM TC50 Touch Probe. Serial No.PR750321033. Year 2021</p>

LOS

BESCHREIBUNG

5 MAZAK Quick Turn Smart 200L CNC Lathe (2015)



Mazatrol Smart Control. Spindle speed 5000 rpm. X/Z travel 195mm/560mm. Fitted with 215mm dia. 3 jaw powered chuck. 12 station turret. Tailstock. Toolsetter. Part catcher. Serial No. 265864. Year 2015

6 MAZAK Quick Turn Smart 200M CNC Lathe. Year 2015



Swing over bed 660mm. Maximum machining dia. 360mm. X travel 225mm. Z travel 1125mm. Rapid feeds X/Z 30/33m/min. Spindle speeds to 35 – 5000 rpm. Spindle nose A2-6. Spindle power (30min/cont rating) 18.5/15 kW. 12 station turret. No. of driven positions 12. Speed of driven tools 4500 rpm. Maximum bar ...

6 AJAX Evolution AJEV310 x 1000 CNC Lathe (2014)



Fanuc Series 0i Control. Spindle speed 2500 rpm. 8 station turret. Tailstock. Swing over bed 620mm. Swing over carriage 540mm. Distance between centres 1000mm. Run Hours 14. Serial No. 41043. Year 2014

6 MAZAK Quick Turn Smart 200M CNC Lathe. Year 2015



Swing over bed 660mm. Maximum machining dia. 360mm. X travel 225mm. Z travel 1125mm. Rapid feeds X/Z 30/33m/min. Spindle speeds to 35 – 5000 rpm. Spindle nose A2-6. Spindle power (30min/cont rating) 18.5/15 kW. 12 station turret. No. of driven positions 12. Speed of driven tools 4500 rpm. Maximum bar ...

7 HARDINGE BRIDGEPORT 1500 XP3 Vertical Machining Centre with Heidenhain iTNC 530 Control. Year 2004



Table size 1700mm x 660mm. X/Y/Z travels 1500mm/660mm/610mm. Spindle taper BT40. Spindle Speeds 20-10,000 rpm. Rapids 32m/min. 32 ATC. Swarf conveyor. T Slotted Sub Table. Main motor power 20HP. Year 2004. Machine dimensions L x W x H 3800mm x 2220mm x 3400mm. Approximate weight 9600 kg

7 CMZ TB-67 CNC Lathe with IEMCA Barfeed (2009)



Fanuc 32i-Model A Control. Spindle speeds 4000 rpm. 12 station turret. IEMAC Barfeed. , Swing over bed 640mm. Swing over cross slide 385mm. X/Z travels 200mm (170mm + 30mm) /400mm. Bar capacity 66mm. Tailstock. Serial No. 369. Year 2009

LOS	BESCHREIBUNG
7	 <p>HARDINGE BRIDGEPORT 1500 XP3 Vertical Machining Centre with Heidenhain iTNC 530 Control. Year 2004</p> <p>Table size 1700mm x 660mm. X/Y/Z travels 1500mm/660mm/610mm. Spindle taper BT40. Spindle Speeds 20-10,000 rpm. Rapids 32m/min. 32 ATC. Swarf conveyor. T Slotted Sub Table. Main motor power 20HP. Year 2004. Machine dimensions L x W x H 3800mm x 2220mm x 3400mm. Approximate weight 9600 kg</p>
8	 <p>HAAS TM3P Vertical Machining Centre with Haas Control. Year 2012</p> <p>Table Size 368 x 1467mm. Travels X/Y/Z 1016 x 508 x 406mm. Maximum workpiece weight 454Kg. Maximum cutting feedrate 10.2m/minute. Rapid feedrates 10.2m/minute . Min – max height under spindle: 102 – 508mm. Spindle motor power 5.6kW. Spindle speed 6000rpm. Maximum tool diameter 89mm. Maximum tool weight ...</p>
8	 <p>HAAS TL1 CNC Lathe (2005)</p> <p>Haas Control. 250mm dia. 3 jaw chuck. X/Z travels 203mm/762mm. Distance between centres 762mm. Spindle speeds 1800 rpm. DORIAN Quick Change Toolpost. Serial No. 70063. Year 2005.</p>
8	 <p>HAAS TM3P Vertical Machining Centre with Haas Control. Year 2012</p> <p>Table Size 368 x 1467mm. Travels X/Y/Z 1016 x 508 x 406mm. Maximum workpiece weight 454Kg. Maximum cutting feedrate 10.2m/minute. Rapid feedrates 10.2m/minute . Min – max height under spindle: 102 – 508mm. Spindle motor power 5.6kW. Spindle speed 6000rpm. Maximum tool diameter 89mm. Maximum tool weight ...</p>
9	 <p>COLCHESTER Tornado 220M CNC Lathe with Fanuc 21i-TB Control. Year 2003</p> <p>Swing over bed 510mm. Maximum turning dia. 260mm. Maximum turning length 540mm. Spindle speeds 3500 rpm. Spindle power 22kW. Spindle nose A2-6. X travel 235mm. Z travel 540mm. Bar capacity 66mm. 12 station turret (VDI40). Driven Tooling. Milling speeds 4000 rpm. Milling power 3.7 kW. C axis. Rapids ...</p>
9	 <p>CMZ TL20M CNC Lathe (2006)</p> <p>Fanuc Series 21i-TB Control. Spindle speeds 5000 rpm. Swing over bed 680mm. Swing over cross slide 510mm Distance between centres 730mm. Max turning dia. 430mm. 12 station turret. Tailstock. LNS Eco Load Barfeed. 210mm dia. 3 jaw chuck. Serial No.44. Year 2006</p>

LOS

BESCHREIBUNG

9



COLCHESTER Tornado 220M CNC Lathe with Fanuc 21i-TB Control. Year 2003
Swing over bed 510mm. Maximum turning dia. 260mm. Maximum turning length 540mm. Spindle speeds 3500 rpm. Spindle power 22kW. Spindle nose A2-6. X travel 235mm. Z travel 540mm. Bar capacity 66mm. 12 station turret (VDI40). Driven Tooling. Milling speeds 4000 rpm. Milling power 3.7 kW. C axis. Rapids ...

10



ROMER Type RA 7535-2 Absolute Portable 6 axis Co-ordinate Measuring Machine. Year 2012

Measuring range 3500mm. Point repeatability 0.040mm. Volumetric accuray + 0.057mm. Arm weight 806kg. The Point Repeatability Test is the reference test to determine measurement arm repeatability with ball probe. The cone is in front of the machine. Points are measured from multiple approach directions. ...

10



EMI-MEC Microsprint 26 CNC Lathe

EMI-MEC CET control. 3 metre Pneumatic Barfeed. 6 station turret. Bar capacity 32mm. 1 x vertical slide. 2 x Horizontal slides. Max turret slide travel 200mm. Serial No.077 6077.

10



ROMER Type RA 7535-2 Absolute Portable 6 axis Co-ordinate Measuring Machine. Year 2012

Measuring range 3500mm. Point repeatability 0.040mm. Volumetric accuray + 0.057mm. Arm weight 806kg. The Point Repeatability Test is the reference test to determine measurement arm repeatability with ball probe. The cone is in front of the machine. Points are measured from multiple approach directions. ...

11



HN Automatic Lang Samsautomat LS1000L Seam Welder with Vario Control (1994)

Complete with EWM Hightec Tetrix 300 Confrot Plasma Unit, GS Inverter Tig 150DC Unit.

11



HURCO Hawk 2U CNC Mill

Hurco UltiPath Control. Table size 1270mm x 254mm. Long travel 863mm Cross travel 356mm. Spindle speeds 50-3750 rpm (inf.var). Powered drawbar. Safety guarding. Serial No.H2A00101100

LOS	BESCHREIBUNG
11	 <p>HN Automatic Lang Samsautomat LS1000L Seam Welder with Vario Control (1994) Complete with EWM Hightec Tetrix 300 Confrot Plasma Unit, GS Inverter Tig 150DC Unit.</p>
12	 <p>SYLAC Z Cal 350 Digital Height Gauge Z Cal, 350mm. Serial No: 15010</p>
12	 <p>WADKIN Woodworking Table Saw. Tilting blade +/- 45 °. Squaring Arm. Spare HSS Saw Blades. Dust Extraction.</p>
12	 <p>SYLAC Z Cal 350 Digital Height Gauge Z Cal, 350mm. Serial No: 15010</p>
13	 <p>ROHM 161825 Heavy Duty Modular Machine Vice Jaw Width 175mm. Max. Capacity 400mm. 60Kn Clamping Force.</p>
13	 <p>ALPINE RF30 Milling & Drilling Machine Table size 730mm x 210mm. Spindle speeds 50-2500 rpm. Serial No. 4173.</p>

LOS	BESCHREIBUNG
13	 <p>ROHM 161825 Heavy Duty Modular Machine Vice Jaw Width 175mm. Max. Capacity 400mm. 60Kn Clamping Force.</p>
14	 <p>ROHM 161825 Heavy Duty Modular Machine Vice Jaw Width 175mm. Max. Capacity 400mm. 60Kn Clamping Force.</p>
14	 <p>CENTEC 2B Horizontal Milling Machine Table size 635mm x 130mm. Long travel 14". Cross travel 5". Vertical travel 9.1/2". Spindle speeds 85-1400 rpm.</p>
14	 <p>ROHM 161825 Heavy Duty Modular Machine Vice Jaw Width 175mm. Max. Capacity 400mm. 60Kn Clamping Force.</p>
15	 <p>HURCO Heavy Duty Machine Vice 150mm Jaw Width. Max. Capacity 220mm.</p>
15	 <p>ATLAS COPCO GX3 FF Rotary Screw Compressor (2005) Complete with Dryer. 3 kW. 10 bar. 13107 run hours. Serial No.A116459886. Year 2005</p>

LOS

BESCHREIBUNG

15



HURCO Heavy Duty Machine Vice
150mm Jaw Width. Max. Capacity 220mm.

16



HURCO Heavy Duty Machine Vice
150mm Jaw Width. Max. Capacity 220mm.

16



HYDROVANE 37 Rotary Screw Compressor
5.5 kW. 23232 Run hours. Serial No.MA309.9385

16



HURCO Heavy Duty Machine Vice
150mm Jaw Width. Max. Capacity 220mm.

17



HURCO Heavy Duty Machine Vice
150mm Jaw Width. Max. Capacity 220mm.

17



COOL TECHNOLOGY 210 Litre Capacity Air Receiver

LOS

BESCHREIBUNG

17



HURCO Heavy Duty Machine Vice
150mm Jaw Width. Max. Capacity 220mm.

18



BRIERLEY ZB32/R Drill Grinder with Extraction Unit

18



FAMI Workbench with 7 drawer tooling cabinet - No contents

18



BRIERLEY ZB32/R Drill Grinder with Extraction Unit

19



CHRISTEN Type 2 - 32 Drill Grinder
Max RPM 3000. Max Wheel Dia. 5 3/4 "

19



BOTT 6 Drawer storage cabinet - No contents

LOS

BESCHREIBUNG

19



CHRISTEN Type 2 - 32 Drill Grinder
Max RPM 3000. Max Wheel Dia. 5 3/4 "

20



FAMI 6 Drawer storage cabinet - No contents

21



FAMI Trade counter with 8 drawer storage cabinet - No contents

22



Steel workbench with wooden top fitted with Record Vice and Arbor press

23



TALCO 6 Drawer mobile tool cabinet - No contents

24



TALCO 6 Drawer mobile tool cabinet - No contents

LOS	BESCHREIBUNG
25	FAMI Steel 9 Deep tray storage unit - No contents
	
42	HERBERT Twin Spindle Pedestal Drill Table size 885mm x 390mm. Spindle speeds (1) 450-2850 rpm.(2MT). Spindle speeds (2) 106-1455 rpm with powered down feed.(3MT)
	
43	CHRISTEN 2-32 Twist Drill Grinder Capacity 2mm-32mm. Grinding wheel speed 3000 rpm. Grinding wheel dia. 150mm
	
44	FUNDITOR Roll Stamping Machine Cpcomplete with accessories as lotted
	
45	AJH Horizontal Belt Linisher Belt size 915mm x 100mm wide
	
46	HPC Model 6840 Laser Cutter & Engraving Machine (2022) Water cooler. Extraction. Serial No.20211112010
	

LOS

BESCHREIBUNG

47



CLARKE Model CMD300 Combination Milling & Drilling Machine
Table size 400mm x 92mm. Spindle speeds 0-2500 rpm. Spindle to column 170mm. Table cross travel 100mm. Table longitudinal travel 235mm. Mill/Drill angle -45° - +45°. Drill capacity 13mm dia. End mill 16mm dia. Facemill 30mm dia. Single phase

48



RX FOX Model H120-3T Weighing Scales with RX Accurex Scales. 3000kg Capacity

49



CLARKE Cama x 36 Extra High Output Fan 230 Volt

50



Heavy Duty Rotay Table with ROHM 240mm dia 3 jaw chuck (metric dials)

51



Surface Plate 18" x 18"

61



Qty of HSS Taper Shank Twist Drills

LOS

BESCHREIBUNG

62

MARTEK Drill Sharpener 2 - 12.5mm for Steel & Masonary Drill Bits



63

Pair of ECLIPSE Vee Blocks



64

4 x SNAKE PUSH Magnetic Blocks



65

Qty of duMont Broaching Tooling



66

Qty of NEW SCHLENKER EF30 Collets



67

2000kg SWL Pallet Truck



LOS

BESCHREIBUNG

68

Large Qty of HSS Twist Drills



69

Qty of Various Milling Cutters & Accessories



70

Qty of Various HSS Taps



71

5C Collet Chuck with Collets & PF-5C Spin Index



72

Qty of Throwaway Carbide Tips



73

DYMO 350 Electronic Label Maker with Charger



LOS

BESCHREIBUNG

74



Qty of De-Burring Tools

75



Racking containing Qty of Polyethylene HD1000, Polycarbonate Sheets & Section 2850mm x 1250mm x 3000mm high

76



Racking containing large Qty of Nylon, Acetal Round Bar. 1100mm x 1000mm x 3000mm high

77



Racking containing Large Qty of Polyethylene, Nylon, Polycarbonate Sheets. 2850mm x 1250mm x 3000mm high

78



Racking containing Large Qty of Nylon Round Bar. 1600mm x 700mm x 2530mm high

79



Racking Containing Large Qty of Polyethylene, Nylon & Oil Filled Plastic. 2550mm x 920mm x 1850mm high

LOS

BESCHREIBUNG

80



3 x Bays of Racking Containing Large Qty PTFE, Acetal, Nylon Round Bars

81



Racking Containing Large Qty of Nylatron & Nylon. 3100mm x 915mm x 3330mm high

82



2 x Bays of Racking Containing Large Qty of Polyethylene & Nylon. 3100mm x 915mm x 3330mm high

83



Racking Containing Qty of Nylon, Nylon Nuts, Washers as lotted

84



Racking Containing Large Qty of PTFE, Acetal & Nycatron. 2630mm x 750mm x 2150mm high

85



6 x 20 Litres of NEW Unopened Drums of HD-S Coolant

LOS

BESCHREIBUNG

86



3 x 20 Litres of New Unopened Drums of GULF Harmony AW100 High Performance Anti Wear Hydraulic Oil

87



1 x 20 Litres of New Unopened MOBIL Vactra No.2 Slideway Oil

88



1 x 20 Litres of New Unopened HYPERDRIVE ISO 32 Hydraulic Oil

89



1 x 20 Litres of New Unopened GULF Cascade GP-HS Coolant

90



3 x 5 Litre Drums of New Unopened THOR Acticide 14 Cleaner

91



New Unopened RODS De-Watering Oil No.2 & D63L Broaching Oil

LOS

BESCHREIBUNG

92

1 x 25 Litre New Unopened VG2 Spindle Oil



93

24" x 24" Granite Surface Table



94

Large Qty of Various Inspection & Tresting Equipment inc Verniers, Micrometers, Bore Gauges, Refractometer etc



95

Qty of Various U Drills & Cutting Tools



96

test

